

## Specification Sheet

Part Number: 166-90372



HelaGuard Non-Metallic IP68 Fitting, Y-Divider, 3/4" reduce to 1/2", 0.75" Dia, PA66, Black, 3/pkg

Article Number	166-90372
Type	HGL075-Y050
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>•Conduit divider fitting used to reduce conduit run diameter sizes.</li><li>•Snap-on construction reduces installation time and costs by eliminating the need to thread fittings onto conduits.</li><li>•All-around "teeth" attach firmly to conduit and deliver a high extraction force.</li><li>•Durable nylon material has high resistance to salts, oils, weak acids and solvents.</li><li>•IP68 fitting has additional conduit seal for increased protection against wind, dirt and water.</li></ul>
Quantity Per	bag

### Product Description

Y-Divider connectors are used to reduce diameter of conduit runs and re-direct in side-by-side direction. Constructed of a very durable nylon material with a high resistance to salts, oils, weak acids and solvents. Designed for easy removal with small screwdriver. IP68 ingress protection rated fittings.

<b>Short Description</b>	HelaGuard Non-Metallic IP68 Fitting, Y-Divider, 3/4" reduce to 1/2", 0.75" Dia, PA66, Black, 3/pkg
<b>Global Part Name</b>	HGL075-Y050-PA66-BK
<b>Variant</b>	Y-Connector
<b>Nominal Diameter (Imperial)</b>	3/8
<b>Nominal Diameter (Metric)</b>	16
<b>Material</b>	Polyamide 6.6 (PA66)
<b>Material Shortcut</b>	PA66
<b>Flammability</b>	UL 94 V2
<b>Halogen free</b>	Yes
<b>Operating Temperature (Metric)</b>	-58°F to +275°F (-50°C to +135°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Recognized (US and Canada)</b>	Yes

**Package Quantity(Imperial)**

5

**Package Quantity (Metric)**

3

**Customs Number**

3926909987