




- ROHS -  
THIS PRODUCT IS FULLY  
COMPLIANT TO LT-GES-001,  
WHICH MEETS OR EXCEEDS  
COMPLIANCE REQUIREMENTS  
OF EUROPEAN DIRECTIVE  
2002/95/EC 'RESTRICTION OF  
USE OF HAZARDOUS SUBSTANCES.'

REVISION CHANGES				
REV	DESCRIPTION	DATE	BY	APPROVED
A	RELEASED FOR PRODUCTION	12/18/14	MARK FUCCI	BRIAN DONAHUE



- NOTES:
- A. PARTS SHALL BE FREE OF SHARP EDGES. BURRS SHALL NOT EXCEED 10% OF MATERIAL THICKNESS OR 0.15MM WHICHEVER IS LESS.
  - B. CRITICAL DIMENSION ARE DESIGNATED BY A TRIANGLE WITH AN "X"
  - C. REFERENCE DIMENSION WILL BE SHOWN IN PARENTHESES (DIM).
  - D. PART SHALL BE FREE OF OIL OR GREASE.
  - F. PACKAGING: BULK

<p>* CAD MAINTAINED DRAWING * MANUAL CHANGES UNAUTHORIZED. PRINTED COPIES OF THIS DOCUMENT ARE CONSIDERED UNCONTROLLED</p> <p>THIS DRAWING IS GENERATED FROM A 3D SOLID MODEL AND MUST BE ACCOMPANIED BY THE MODEL FOR COMPLETE DOCUMENTATION</p>	<p>BLOCK TOLERANCES APPLY TO METRIC UNITS ONLY. DUAL DIMENSIONS IF SHOWN ARE FOR REFERENCE ONLY AND ARE DISPLAYED IN 3 PLACES FOR CONVERSION PURPOSES ONLY.</p> <p>PRODUCTION DRAWING REVISION CONTROLLED DOCUMENT</p>	<p>UNITS: MM</p>	<p>3RD ANGLE PROJECTION</p>	<p>MATERIAL / TEMPER: 1008/1010 PRE-PLATED COLD ROLLED STEEL 1/2 HARD</p>	<p>PART DESCRIPTION: BLS COVER ONLY</p>	<p>PART NUMBER: BMI-S-203-C-20</p>		
		<p>TOLERANCES: .X = ±.4 .XX = ±.20 .XXX = ±.10</p>		<p>THICKNESS: 0.15MM ±.02MM</p>	<p>CUSTOMER: LAIRD</p>	<p>MODELED BY: KEN ROBINSON</p>	<p>DATE: 02/13/14</p>	<p>REV: A</p>
		<p>ANGULAR: X.° = ± 3° X.X° = ±1.0°</p>		<p>FINISH: 1.25-5.00 MICRONS 100% MATTE TIN</p>	<p>PROGRAM NAME: STANDARD</p>	<p>APPROVED BY: X</p>	<p>DATE: XX/XX/XX</p>	
		<p>DESIGNED IN PRO/ENGINEER</p>		<p>SCALE: 1:1 SHEET 1 OF 1</p>	<p>CUSTOMER PART NUMBER: BLC262-262H020H01</p>	<p>INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO LAIRD TECHNOLOGIES. IT MAY NOT BE DISCLOSED TO ANYONE WITHOUT WRITTEN AUTHORIZATION FROM LAIRD TECHNOLOGIES</p>		